


SETHCO

PROCESS INDUSTRY PUMPS



Global Pumping Solutions for
Filtration, Recirculation, and
Transfer Applications



PROVIDING FLUID HANDLING TECHNOLOGY FOR OVER 50 YEARS

Sethco is a leading manufacturer of horizontal and vertical corrosion resistant centrifugal pumps, with capacities to 250 GPM (57 m³/hr). Designed engineered, and manufactured from both high strength thermoplastics and stainless steel, Sethco's products are field-proven and provide the solution to your most difficult fluid handling applications. A variety of pump configurations ranging from off-the-shelf drum pumps, to a full range of magnetic drive centrifugal pumps, to custom engineered vertical sump pumps makes Sethco adaptable to almost any pumping application.

MARKETS

- Aerospace
- Aquaculture
- Aquariums
- Automotive
- Chemical Process
- Electronics
- Laboratory
- Metal Finishing
- Municipal
- Painting
- Pharmaceutical
- Photo Processing
- Pulp and Paper
- Semiconductor

APPLICATIONS

- Acids
- Bleaches
- Caustics
- Chemical Transfer
- Cleaning/Mixing
- Filtration
- Ideal for OEMs
- Processing
- Recirculation
- Reverse Osmosis
- Scrubbers
- Seawater
- Solvents
- Wastewater

SEALLESS DRUM PUMPS

P90 SERIES DRUM PUMPS


High powered sealless drum pumps designed to handle aggressive, corrosive, and hazardous fluids. All drum pumps are in stock and available for immediate delivery.

- Capacities to 35 GPM (135 LPM)
- Heads to 39 feet (12 m)
- Tube lengths in 10 inch (254 mm) increments from 30 inches (762 mm) to 60 inches (1524 mm)
- Air motors suitable for hazardous locations
- Polypropylene, Kynar or 316SS construction
- Variable speed motor



Pump and Motor are Separate

MAGNETIC DRIVE HORIZONTAL CENTRIFUGAL PUMPS



500 SERIES SELF-PRIMING PUMPS

- Capacities to 27 GPM (102 LPM)
- Heads to 36 feet (11 m)
- Motors from 1/4 to 3/4 hp (0.19 to 0.56 kW)

1000 SERIES SELF-PRIMING PUMPS

- Capacities to 76 GPM (288 LPM)
- Heads to 66 feet (20 m)
- Motors from 1/2 to 3 hp (0.37 to 2.2 kW)

2500 SERIES SELF-PRIMING PUMPS

- Capacities to 230 GPM (52 m³/hr)
- Heads to 93 feet (28 m)
- Motors from 3 to 10 hp (2.2 to 7.5 kW)



500 SERIES END SUCTION PUMPS

- Capacities to 30 GPM (114 LPM)
- Heads to 38 feet (12 m)
- Motors from 1/4 to 3/4 hp (0.19 to 0.56 kW)

1000 SERIES END SUCTION PUMPS

- Capacities to 96 GPM (365 LPM)
- Heads to 80 feet (24 m)
- Motors from 1/2 to 3 hp (0.37 to 2.2 kW)

2500 SERIES END SUCTION PUMPS

- Capacities to 250 GPM (57 m³/hr)
- Heads to 94 feet (29 m)
- Motors from 3 to 10 hp (2.2 to 7.5 kW)

NOTE: All magnetic drive horizontal pumps available in Polypropylene or Kynar construction for optimum corrosion resistance.

VERTICAL CENTRIFUGAL SUMP PUMPS

UD/UV SERIES SUMP PUMPS


- Capacities to 220 GPM (50 m³/hr)
- Heads to 135 feet (41 m)
- Lengths from 2 to 10 feet (0.6 to 3.0 m)
- Motors from 1/2 to 15 hp (0.37 to 11 kW)
- CPVC/PVC pump construction
- 316SS, Carp-20, Titanium or Hastelloy-C shafts
- Internal, external or bypass bearing lubrication



CANTILEVER DESIGN SEALLESS PUMPS

ZDX/ZKX SERIES IN-TANK OR OUT-OF-TANK PUMPS

- Seventeen sizes
- Capacities to 140 GPM (530 lpm)
- Heads to 109 feet (33 m)
- Motors from 1/20 to 5 hp (0.04 to 5.6 kW)
- CPVC and Kynar construction



SETHCO
700 Emlen Way
Telford, PA 18969
800.392.7621
www.tuskind.com